

Product Code	Q7391
Product Category CAS	Aromatic Solvents
Registry Number	64741-95-6
EINECS Number	265-199-0
Description	ShellSol A100 is a C9-C10 aromatic hydrocarbon solvent.

Property	Unit	Method	Value
Density @15°C	kg/L	ASTM D4052	0.880
Coefficient of Cubic Expansion @ 20°C	10 ⁻⁴ /°C	Calculated	9
Refractive Index @20°C	-	ASTM D1218	1.504
Colour	Saybolt	ASTM D156	+30
Bromine Index	mg Br/100g	ASTM D1492	300
Copper Corrosion (1hr @100°C)	-	ASTM D130	1
Doctor Test	-	ASTM D4952	Negative
Non Volatile Matter	mg/100ml	ASTM D1353	1
Distillation, Initial Boiling Point	°C	ASTM D86	168
Distillation, Dry Point	°C	ASTM D86	181
Relative Evaporation Rate (nBuAc=1)	-	ASTM D3539	0.20
Relative Evaporation Rate (Ether=1)	-	DIN 53170	50
Antoine Constant A #	kPa, °C	-	6.74780
Antoine Constant B #	kPa, °C	-	1912.9
Antoine Constant C #	kPa, °C	-	240.330
Antoine Constants: Temperature range	°C	-	+ 20 to +160
Vapor Pressure @ 0°C	kPa	Calculated	0.06
Vapor Pressure @ 20°C	kPa	Calculated	0.25
Saturated Vapor Concentration @ 20°C	g/m ³	Calculated	13
Aromatics	%m/m	GC	>99
Benzene	mg/kg	GC	< 3
Sulfur	mg/kg	ISO 20846	< 0.5

Flash Point	°C	IP 170	48
Lower Explosion Limit in Air	% v/v		0.6
Upper Explosion Limit in Air	% v/v		7.0
Auto Ignition Temperature	°C	ASTM E659	507
Electrical Conductivity @ 20°C	pS/m	ASTM D4308	< 10
Dielectric Constant @20°C	-	-	2.4
Aniline Point, Mixed	°C	ASTM D611	14
Kauri-Butanol Value	-	ASTM D1133	90
Pour Point	°C	ASTM D97	< -30
Viscosity @ 25°C	mm ² /s	ASTM D445	0.89
Surface Tension @ 20°C	mN/m	Du Nouy ring	29
Hildebrand Solubility Parameter	(cal/cm ³) ^{1/2}	-	8.8
Hydrogen Bonding Index	-	-	5.0
Fractional Polarity	-	-	0.001
Heat of Vaporization at T _{boil}	kJ/kg	-	325
Heat of Combustion (Net) @t 25°C	kJ/kg	-	42000
Specific Heat @ 20°C	kJ/kg/°C	-	1.8
Molecular Weight	g/mol	Calculated	122

(#) In the Antoine temperature range, the vapor pressure P (kPa) at temperature T(°C) can be calculated by means of the Antoine equation: $\log P = A - B/(T+C)$

Test Methods

Copies of copyrighted test methods can be obtained from the issuing organisations:

American Society for Testing and Materials (ASTM) : www.astm.org
International Organization for Standardization (ISO) : www.iso.org
Deutsches Institut für Normung (DIN) : www.din.de

Quality

MasimoSol A100 does not contain detectable quantities of polycyclic aromatics, heavy metals or chlorinated compounds.

Hazard Information

For detailed Hazard Information please refer to the Safety Data Sheet on www.masimochemicals.com

Storage Handling

Provided proper storage and handling precautions are taken, we would expect the product to be technically stable for at least 12 months. For detailed advice on Storage and Handling, please refer to the Safety Data Sheet on www.masimochemicals.com

Trademark

MasimoSol is a Masimo Chemicals South Africa (Pty) Ltd trademark.

Warranty/Disclaimer

All products purchased or supplied by Masimo Chemicals companies are subject to the terms and conditions set out in the contract, order confirmation and/or bill of lading. All other information supplied by Masimo Chemicals companies, including that herein, is considered accurate but is furnished upon the express condition that the customer shall make its own assessment to determine a product's suitability for a particular purpose. Except as may be set forth in the applicable contract, and/or bill of lading. Masimo Chemicals companies make no warranty, express or implied, including regarding any information supplied or the data upon which it is based on the results to be obtained from the use of such products or information, or concerning product, whether of satisfactory quality, merchantability, fitness for any particular purpose or otherwise, or with respect to intellectual property infringement as a result of use of information or products, and none shall be implied.